


REEB®
reeb.com

THE PROGallery



INTERIOR DOORS

REEB® IN-STOCK INTERIOR PRIMED STILE & RAIL DOORS



Interior Primed Stile & Rail Doors

Primed stile and rail doors are an ideal choice for homeowners seeking to add a clean look to their Modern, Traditional or Craftsman style homes. They feature architecturally correct layouts, crisp shadow lines and highly defined panels providing a superior level of detail.

Recent developments within the millwork industry continue to strengthen the case for primed stile and rail doors, making them an excellent choice for discerning homeowners seeking increased strength, better durability and greater life expectancy at a similar price point to their molded door counterparts.



Table of Contents

Construction & Benefits	3	Interior Door Units, Transoms, Sidelites.....	23
9/16" Single Hip Raised Panel.....	4	Primed Barn Doors	24
3/8" MDF Flat Panel, Ovolo Sticking	6	Barn Door Hardware	25
3/8" MDF Flat Panel, Shaker Sticking	8	Positive Pressure Fire Rated Doors	26
5/8" MDF Flat Panel.....	11	Jamb.....	28
1-1/4" Bar, Clear Glass.....	12	Hinges.....	32
1-1/4" Bar, Frit Glass	14	Locks	36
Decorative Glass.....	15	Catches	38
French, Clear Glass	16	EzyJamb®.....	39
French, Frit Glass.....	16	Stile & Rail Dimensions.....	40
French, White Laminate Glass	16	Finishing & Warranty	43
1-1/4" Louver Slats.....	18	Educational Tools	43
2-1/2" Louver Slats	18		
Contemporary Doors, Flush MDF.....	20		
Contemporary Doors, Flat Panel Louver	22		

Construction & Benefits

Stiles, Rails & Veneer

The stiles and rails have a solid wood engineered core for added strength, stability, and reduced sound transmission.

An MDF veneer is permanently bonded to the core resisting dents, dings, and gouges. The veneer when compared to other imitation products makes for a superior and smooth painting surface.



Dowel Pins & Panels

The stiles and rails are joined by dowel pins. In between the stiles and rails, there can be a flat or raised panel made of MDF for a smooth painted finish or there can be a glass element to allow natural light into the next room.



Sharp Details & Architecturally Correct

Primed stile and rail doors join components together to create sharp shadow lines with a 90 degree Shaker sticking.

Each door is made with perfectly proportioned stiles, rails and panels that are created individually to ensure that every door is architecturally correct.




Primed

9/16" SINGLE HIP RAISED PANEL



9/16" Raised Panel, Ovolo Sticking



Panel Profile

9/16" SINGLE HIP RAISED PANEL



PR82R 1-3/8"

9/16" Raised Panel,
Ovolo Sticking

1/0 x 6/8	2/4 x 6/8	1/6 x 8/0
1/2 x 6/8	2/6 x 6/8	2/0 x 8/0
1/3 x 6/8	2/8 x 6/8	2/4 x 8/0
1/4 x 6/8	2/10 x 6/8	2/6 x 8/0
1/6 x 6/8	3/0 x 6/8	2/8 x 8/0
1/8 x 6/8		2/10 x 8/0
1/10 x 6/8		3/0 x 8/0
2/0 x 6/8		
2/2 x 6/8		

SIZES 2/4 AND UP HAVE WIDE (5-1/2") STILES



PR82R 1-3/4"

9/16" Raised Panel,
Ovolo Sticking

1/0 x 6/8	2/8 x 6/8	2/0 x 7/0	2/6 x 8/0
1/2 x 6/8	2/10 x 6/8	2/2 x 7/0	2/8 x 8/0
1/3 x 6/8	3/0 x 6/8	2/4 x 7/0	2/10 x 8/0
1/4 x 6/8		2/6 x 7/0	3/0 x 8/0
1/6 x 6/8	1/0 x 7/0	2/8 x 7/0	
1/8 x 6/8	1/2 x 7/0	2/10 x 7/0	
1/10 x 6/8	1/3 x 7/0	3/0 x 7/0	
2/0 x 6/8	1/4 x 7/0		
2/2 x 6/8	1/6 x 7/0	1/6 x 8/0	
2/4 x 6/8	1/8 x 7/0	2/0 x 8/0	
2/6 x 6/8	1/10 x 7/0	2/4 x 8/0	



PR82A 1-3/8"

9/16" Raised Panel,
Ovolo Sticking

1/0 x 6/8	2/4 x 6/8	1/6 x 8/0
1/2 x 6/8	2/6 x 6/8	2/0 x 8/0
1/3 x 6/8	2/8 x 6/8	2/4 x 8/0
1/4 x 6/8	2/10 x 6/8	2/6 x 8/0
1/6 x 6/8	3/0 x 6/8	2/8 x 8/0
1/8 x 6/8		2/10 x 8/0
1/10 x 6/8		3/0 x 8/0
2/0 x 6/8		
2/2 x 6/8		

SIZES 2/4 AND UP HAVE WIDE (5-1/2") STILES



PR82A 1-3/4"

9/16" Raised Panel,
Ovolo Sticking

1/6 x 6/8	1/6 x 7/0	1/6 x 8/0
1/8 x 6/8	1/8 x 7/0	2/0 x 8/0
1/10 x 6/8	1/10 x 7/0	2/4 x 8/0
2/0 x 6/8	2/0 x 7/0	2/6 x 8/0
2/2 x 6/8	2/2 x 7/0	2/8 x 8/0
2/4 x 6/8	2/4 x 7/0	2/10 x 8/0
2/6 x 6/8	2/6 x 7/0	3/0 x 8/0
2/8 x 6/8	2/8 x 7/0	
2/10 x 6/8	2/10 x 7/0	
3/0 x 6/8	3/0 x 7/0	



1/0 - 1/10

PR66 1-3/8"

9/16" Raised Panel,
Ovolo Sticking

1/0 x 6/8	1/10 x 6/8	2/10 x 6/8
1/2 x 6/8	2/0 x 6/8	3/0 x 6/8
1/3 x 6/8	2/2 x 6/8	
1/4 x 6/8	2/4 x 6/8	
1/6 x 6/8	2/6 x 6/8	
1/8 x 6/8	2/8 x 6/8	



1/6 - 1/10

PR66 1-3/4"

9/16" Raised Panel,
Ovolo Sticking

1/6 x 6/8	2/6 x 6/8
1/8 x 6/8	2/8 x 6/8
1/10 x 6/8	2/10 x 6/8
2/0 x 6/8	3/0 x 6/8
2/2 x 6/8	
2/4 x 6/8	

Primed

3/8" MDF FLAT PANEL



3/8" Flat Panel. Ovolo Sticking



Panel Profile, Ovolo Sticking

OVOLO STICKING



PR8020 1-3/8"
3/8" MDF Flat Panel,
Ovolo Sticking

1/0 x 6/8	2/4 x 6/8	2/0 x 8/0
1/2 x 6/8	2/6 x 6/8	2/2 x 8/0
1/3 x 6/8	2/8 x 6/8	2/4 x 8/0
1/4 x 6/8	2/10 x 6/8	2/6 x 8/0
1/6 x 6/8	3/0 x 6/8	2/8 x 8/0
1/8 x 6/8	—————	2/10 x 8/0
1/10 x 6/8	1/6 x 8/0	3/0 x 8/0
2/0 x 6/8	1/8 x 8/0	
2/2 x 6/8	1/10 x 8/0	



PR8082 1-3/8"
3/8" MDF Flat Panel,
Ovolo Sticking

1/0 x 6/8	2/4 x 6/8	2/0 x 8/0
1/2 x 6/8	2/6 x 6/8	2/2 x 8/0
1/3 x 6/8	2/8 x 6/8	2/4 x 8/0
1/4 x 6/8	2/10 x 6/8	2/6 x 8/0
1/6 x 6/8	3/0 x 6/8	2/8 x 8/0
1/8 x 6/8	—————	2/10 x 8/0
1/10 x 6/8	1/6 x 8/0	3/0 x 8/0
2/0 x 6/8	1/8 x 8/0	
2/2 x 6/8	1/10 x 8/0	



PR8044 1-3/8"
3/8" MDF Flat Panel,
Ovolo Sticking

2/0 x 6/8	2/10 x 6/8
2/2 x 6/8	3/0 x 6/8
2/4 x 6/8	
2/6 x 6/8	
2/8 x 6/8	



PR8040 1-3/8"
3/8" MDF Flat Panel,
Ovolo Sticking

1/6 x 6/8	3/0 x 6/8	2/6 x 7/0
2/0 x 6/8	—————	2/8 x 7/0
2/4 x 6/8	1/6 x 7/0	3/0 x 7/0
2/6 x 6/8	2/0 x 7/0	
2/8 x 6/8	2/4 x 7/0	



PR8055 1-3/8" (6/8)
3/8" MDF Flat Panel,
Ovolo Sticking

1/6 x 6/8	2/4 x 6/8
1/8 x 6/8	2/6 x 6/8
1/10 x 6/8	2/8 x 6/8
2/0 x 6/8	2/10 x 6/8
2/2 x 6/8	3/0 x 6/8



PR8055 1-3/8" (8/0)
3/8" MDF Flat Panel,
Ovolo Sticking


1/6 x 8/0	2/10 x 8/0
2/0 x 8/0	3/0 x 8/0
2/4 x 8/0	
2/6 x 8/0	
2/8 x 8/0	

Primed

3/8" MDF FLAT PANEL



3/8" Flat Panel, Shaker Sticking



Panel Profile, Shaker Sticking

SHAKER STICKING



PR8720 1-3/8"

3/8" MDF Flat Panel,
Shaker Sticking

1/0 x 6/8	2/4 x 6/8	2/6 x 7/0	2/2 x 8/0
1/2 x 6/8	2/6 x 6/8	2/8 x 7/0	2/4 x 8/0
1/3 x 6/8	2/8 x 6/8	2/10 x 7/0	2/6 x 8/0
1/4 x 6/8	2/10 x 6/8	3/0 x 7/0	2/8 x 8/0
1/6 x 6/8	3/0 x 6/8		2/10 x 8/0
1/8 x 6/8		1/6 x 8/0	3/0 x 8/0
1/10 X 6/8	1/6 x 7/0	1/8 x 8/0	
2/0 x 6/8	2/0 x 7/0	1/10 x 8/0	
2/2 X 6/8	2/4 x 7/0	2/0 x 8/0	



PR8782 1-3/8"

3/8" MDF Flat Panel,
Shaker Sticking

1/0 x 6/8	2/4 x 6/8	2/6 x 7/0	2/2 x 8/0
1/2 x 6/8	2/6 x 6/8	2/8 x 7/0	2/4 x 8/0
1/3 x 6/8	2/8 x 6/8	2/10 x 7/0	2/6 x 8/0
1/4 x 6/8	2/10 x 6/8	3/0 x 7/0	2/8 x 8/0
1/6 x 6/8	3/0 x 6/8		2/10 x 8/0
1/8 x 6/8		1/6 x 8/0	3/0 x 8/0
1/10 X 6/8	1/6 x 7/0	1/8 x 8/0	
2/0 x 6/8	2/0 x 7/0	1/10 x 8/0	
2/2 X 6/8	2/4 x 7/0	2/0 x 8/0	



PR8760 1-3/8" (6/8)

3/8" MDF Flat Panel,
Shaker Sticking

1/2 x 6/8	2/2 X 6/8
1/3 x 6/8	2/4 x 6/8
1/4 x 6/8	2/6 x 6/8
1/6 x 6/8	2/8 x 6/8
1/8 x 6/8	2/10 x 6/8
1/10 X 6/8	3/0 x 6/8
2/0 x 6/8	



PR8760 1-3/8" (8/0)

3/8" MDF Flat Panel,
Shaker Sticking

1/6 x 8/0	2/8 x 8/0
1/8 x 8/0	2/10 x 8/0
2/0 x 8/0	2/6 x 6/8
2/2 x 8/0	3/0 x 8/0
2/4 x 8/0	
2/6 x 8/0	



PR8762 1-3/8" (6/8)

3/8" MDF Flat Panel,
Shaker Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8



PR8762 1-3/8" (8/0)

3/8" MDF Flat Panel,
Shaker Sticking

2/0 x 8/0
2/4 x 8/0
2/6 x 8/0
2/8 x 8/0
2/10 x 8/0
3/0 x 8/0



PR8730 1-3/8"

3/8" MDF Flat Panel,
Shaker Sticking

1/6 x 6/8	2/8 x 6/8	2/6 x 8/0
1/8 x 6/8	2/10 x 6/8	2/8 x 8/0
1/10 x 6/8	3/0 x 6/8	3/0 x 8/0
2/0 x 6/8		
2/2 x 6/8	1/6 x 8/0	
2/4 x 6/8	2/0 x 8/0	
2/6 x 6/8	2/4 x 8/0	



PR8744 1-3/8"


3/8" MDF Flat Panel,
Shaker Sticking

2/0 x 6/8
2/2 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8

Primed

3/8" FLAT PANEL

SHAKER STICKING



PR8740 1-3/8"
3/8" MDF Flat Panel,
Shaker Sticking

1/6 x 6/8	1/6 x 7/0
2/0 x 6/8	2/0 x 7/0
2/4 x 6/8	2/4 x 7/0
2/6 x 6/8	2/6 x 7/0
2/8 x 6/8	2/8 x 7/0
3/0 x 6/8	3/0 x 7/0



PR8755 1-3/8" (6/8)
3/8" MDF Flat Panel,
Shaker Sticking

1/6 x 6/8	2/4 x 6/8
1/8 x 6/8	2/6 x 6/8
1/10 x 6/8	2/8 x 6/8
2/0 x 6/8	2/10 x 6/8
2/2 x 6/8	3/0 x 6/8



PR8755 1-3/8" (8/0)
3/8" MDF Flat Panel,
Shaker Sticking

1/6 x 8/0	2/8 x 8/0
2/0 x 8/0	2/10 x 8/0
2/4 x 8/0	3/0 x 8/0
2/6 x 8/0	



PR8720, RSP

Primed

5/8" MDF FLAT PANEL

Reeb stocks 1-3/4" doors with a 5/8" flat panel for a more architecturally correct layout.



5/8" Flat Panel, Ovolo Sticking



5/8" Flat Panel, Shaker Sticking

OVOLO STICKING



PR8020 1-3/4"
5/8" MDF Flat Panel
Ovolo Sticking

1/0 x 6/8	1/0 x 7/0	1/6 x 8/0
1/2 x 6/8	1/2 x 7/0	2/0 x 8/0
1/3 x 6/8	1/3 x 7/0	2/4 x 8/0
1/4 x 6/8	1/4 x 7/0	2/6 x 8/0
1/6 x 6/8	1/6 x 7/0	2/8 x 8/0
1/8 x 6/8	1/8 x 7/0	2/10 x 8/0
1/10 X 6/8	1/10 x 7/0	3/0 x 8/0
2/0 x 6/8	2/0 x 7/0	
2/2 X 6/8	2/2 x 7/0	
2/4 x 6/8	2/4 x 7/0	
2/6 x 6/8	2/6 x 7/0	
2/8 x 6/8	2/8 x 7/0	
2/10 x 6/8	2/10 x 7/0	
3/0 x 6/8	3/0 x 7/0	

PR8082 1-3/4"
5/8" MDF Flat Panel
Ovolo Sticking

1/6 x 6/8	1/6 x 7/0	1/6 x 8/0
2/0 x 6/8	2/0 x 7/0	2/0 x 8/0
2/4 x 6/8	2/4 x 7/0	2/4 x 8/0
2/6 x 6/8	2/6 x 7/0	2/6 x 8/0
2/8 x 6/8	2/8 x 7/0	2/8 x 8/0
2/10 x 6/8	2/10 x 7/0	2/10 x 8/0
3/0 x 6/8	3/0 x 7/0	3/0 x 8/0

SHAKER STICKING



PR8720 1-3/4"
5/8" MDF Flat Panel
Shaker Sticking

1/0 x 6/8	1/0 x 7/0	1/6 x 8/0
1/2 x 6/8	1/2 x 7/0	2/0 x 8/0
1/3 x 6/8	1/3 x 7/0	2/4 x 8/0
1/4 x 6/8	1/4 x 7/0	2/6 x 8/0
1/6 x 6/8	1/6 x 7/0	2/8 x 8/0
1/8 x 6/8	1/8 x 7/0	2/10 x 8/0
1/10 X 6/8	1/10 x 7/0	3/0 x 8/0
2/0 x 6/8	2/0 x 7/0	
2/2 X 6/8	2/2 x 7/0	
2/4 x 6/8	2/4 x 7/0	
2/6 x 6/8	2/6 x 7/0	
2/8 x 6/8	2/8 x 7/0	
2/10 x 6/8	2/10 x 7/0	
3/0 x 6/8	3/0 x 7/0	

PR8782 1-3/4"
5/8" MDF Flat Panel
Shaker Sticking

1/6 x 6/8	1/6 x 7/0	1/6 x 8/0
2/0 x 6/8	2/0 x 7/0	2/0 x 8/0
2/4 x 6/8	2/4 x 7/0	2/4 x 8/0
2/6 x 6/8	2/6 x 7/0	2/6 x 8/0
2/8 x 6/8	2/8 x 7/0	2/8 x 8/0
2/10 x 6/8	2/10 x 7/0	2/10 x 8/0
3/0 x 6/8	3/0 x 7/0	3/0 x 8/0


Primed

1-1/4" BAR



1-1/4" Bar, Clear Glass

CLEAR GLASS



1-1/4" Bar Profile



PR8010 1-3/8"
1-1/4" Bar, Clear Glass

1/6 x 6/8
2/0 x 6/8
2/6 x 6/8



PR8010 1-3/4"
1-1/4" Bar, Clear Glass

1/6 x 6/8
2/0 x 6/8



PR8015 1-3/8"
1-1/4" Bar, Clear Glass

2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8



PR8015 1-3/4"
1-1/4" Bar, Clear Glass

2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8



PR8015, RSP

CLEAR GLASS



PR8018 1-3/8" (8/0)
1-1/4" Bar, Clear Glass

- 2/4 x 8/0
- 2/6 x 8/0
- 2/8 x 8/0
- 2/10 x 8/0
- 3/0 x 8/0



PR8018 1-3/4" (8/0)
1-1/4" Bar, Clear Glass

- 2/4 x 8/0
- 2/6 x 8/0
- 2/8 x 8/0
- 2/10 x 8/0
- 3/0 x 8/0



PR8012 1-3/8" (8/0)
1-1/4" Bar, Clear Glass

- 1/6 x 8/0
- 2/0 x 8/0



PR8012 1-3/4" (8/0)
1-1/4" Bar, Clear Glass

- 1/6 x 8/0
- 2/0 x 8/0


Primed

FRENCH



1-1/4" Bar, Frit Glass

FRIT GLASS



1-1/4"
Bar Profile



PR8010F 1-3/8"
1-1/4" Bar, Frit Glass

1/6 x 6/8
2/0 x 6/8



PR8015F 1-3/8"
1-1/4" Bar, Frit Glass

2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8



PR8018F 1-3/8" (8/0)
1-1/4" Bar, Frit Glass

2/4 x 8/0
2/6 x 8/0
2/8 x 8/0
2/10 x 8/0
3/0 x 8/0




PR8012F 1-3/8" (8/0)
1-1/4" Bar, Frit Glass

1/6 x 8/0
2/0 x 8/0



PR8490, Simpson

DECORATIVE GLASS




PR8490 1-3/8"
Decorative Glass,
Clear Art on Satin Etch

- 2/0 x 6/8
- 2/4 x 6/8
- 2/6 x 6/8
- 2/8 x 6/8
- 3/0 x 6/8



PR8423 1-3/8"
Decorative Glass,
Black Caming

- 2/6 x 6/8
- 2/8 x 6/8
- 3/0 x 6/8




Primed

FRENCH



Clear Glass, Ovolo Sticking



Ovolo Sticking



Frit Glass, Ovolo Sticking



White Laminate Glass, Ovolo Sticking

CLEAR GLASS



PR8001 1-3/8"

Clear Glass,
Ovolo Sticking

1/6 x 6/8	1/6 x 8/0
2/0 x 6/8	2/0 x 8/0
2/4 x 6/8	2/4 x 8/0
2/6 x 6/8	2/6 x 8/0
2/8 x 6/8	2/8 x 8/0
2/10 x 6/8	2/10 x 8/0
3/0 x 6/8	3/0 x 8/0

FRIT GLASS



PR8001F 1-3/8"

Frit Glass,
Ovolo Sticking

1/6 x 6/8	1/6 x 8/0
2/0 x 6/8	2/0 x 8/0
2/4 x 6/8	2/4 x 8/0
2/6 x 6/8	2/6 x 8/0
2/8 x 6/8	2/8 x 8/0
2/10 x 6/8	2/10 x 8/0
3/0 x 6/8	3/0 x 8/0



PR1501WL 1-3/8"

White Laminate Glass,
Ovolo Sticking

2/0 x 6/8	2/4 x 8/0
2/4 x 6/8	2/6 x 8/0
2/6 x 6/8	2/8 x 8/0
2/8 x 6/8	3/0 x 8/0
3/0 x 6/8	
2/0 x 8/0	

Primed Louvers

Louver doors allow for air flow while providing privacy.




1-1/4" Louver Slats




2-1/2" Louver Slats

When ordering a louver door, it is important to specify which side is the blind side. View the door as if you are in the inside of the room and the door is opening toward you.



When the Blind Side is on the Hinge Side, the Louvers run down, meaning you cannot see into the next room




When the Blind Side is on the Stop Side, the Louvers run up, meaning you can see into the next room.




For Louver Doors with a Contemporary style, featuring a unique slatted ventilation, please see page 22.

Bifolds are carton packed with track and hardware.




PR730 1-3/8"
Primed, 1-1/4" Slats

- 1/6 x 6/8
- 2/0 x 6/8
- 2/2 x 6/8
- 2/4 x 6/8
- 2/6 x 6/8
- 2/8 x 6/8
- 2/10 x 6/8
- 3/0 x 6/8



PR730 1-3/4"
Primed, 1-1/4" Slats

- 1/6 x 6/8
- 2/0 x 6/8
- 2/4 x 6/8
- 2/6 x 6/8
- 2/8 x 6/8
- 2/10 x 6/8
- 3/0 x 6/8



PR730W 1-3/8"
Primed, 2-1/2" Slats

- 1/6 x 6/8
- 2/0 x 6/8
- 2/4 x 6/8
- 2/6 x 6/8
- 2/8 x 6/8
- 2/10 x 6/8
- 3/0 x 6/8



PRN730FJ 1-1/8" BIFOLD
Primed, 1-1/4" Slats
1-1/8" Modified Finger Joint

- 2/0 x 6/8 4/8 x 6/8
- 2/4 x 6/8 5/0 x 6/8
- 2/6 x 6/8 5/4 x 6/8
- 2/8 x 6/8 6/0 x 6/8
- 3/0 x 6/8
- 4/0 x 6/8



PR732 1-3/8"
Primed, 1-1/4" Slats

- 1/6 x 6/8
- 2/0 x 6/8
- 2/2 x 6/8
- 2/4 x 6/8
- 2/6 x 6/8
- 2/8 x 6/8
- 2/10 x 6/8
- 3/0 x 6/8



PR742 1-3/8"
Primed, 1-1/4" Slats

- 1/6 x 6/8
- 2/0 x 6/8
- 2/4 x 6/8
- 2/6 x 6/8
- 2/8 x 6/8
- 2/10 x 6/8
- 3/0 x 6/8



PR732W 1-3/8"
Primed, 2-1/2" Slats

- 1/6 x 6/8
- 2/0 x 6/8
- 2/4 x 6/8
- 2/6 x 6/8
- 2/8 x 6/8
- 2/10 x 6/8
- 3/0 x 6/8



PRN732FJ 1-1/8" BIFOLD
Primed, 1-1/4" Slats
1-1/8" Modified Finger Joint

- 2/0 x 6/8
- 2/6 x 6/8
- 3/0 x 6/8
- 4/0 x 6/8
- 5/0 x 6/8
- 6/0 x 6/8

Contemporary Doors

MODERN DESIGNS. CLEAN LINES.



Reeb's modern-style contemporary doors are a premium flush door. While traditional flush doors have a thin veneer over a solid particle core, any groove cut into the door for a design appeal must be shallow. Our new contemporary flush doors feature a 1/4" thick veneer. The grooves are cut 1/8" deep resulting in sharper shadow lines and a greater definition.




PRF2315 1-3/8"
Flush MDF

- 1/6 x 6/8
- 2/0 x 6/8
- 2/4 x 6/8
- 2/6 x 6/8
- 2/8 x 6/8
- 3/0 x 6/8




PRF2315 1-3/4"
Flush MDF

- | | | |
|------------|------------|------------|
| 1/6 x 6/8 | 1/6 x 7/0 | 1/6 x 8/0 |
| 2/0 x 6/8 | 2/0 x 7/0 | 2/0 x 8/0 |
| 2/4 x 6/8 | 2/4 x 7/0 | 2/4 x 8/0 |
| 2/6 x 6/8 | 2/6 x 7/0 | 2/6 x 8/0 |
| 2/8 x 6/8 | 2/8 x 7/0 | 2/8 x 8/0 |
| 2/10 x 6/8 | 2/10 x 7/0 | 2/10 x 8/0 |
| 3/0 x 6/8 | 3/0 x 7/0 | 3/0 x 8/0 |



PRF2310 1-3/8"
Flush MDF

- 1/6 x 6/8
- 2/0 x 6/8
- 2/4 x 6/8
- 2/6 x 6/8
- 2/8 x 6/8
- 3/0 x 6/8



PRF2310 1-3/4"
Flush MDF

- | | | |
|------------|------------|------------|
| 1/6 x 6/8 | 1/6 x 7/0 | 1/6 x 8/0 |
| 2/0 x 6/8 | 2/0 x 7/0 | 2/0 x 8/0 |
| 2/4 x 6/8 | 2/4 x 7/0 | 2/4 x 8/0 |
| 2/6 x 6/8 | 2/6 x 7/0 | 2/6 x 8/0 |
| 2/8 x 6/8 | 2/8 x 7/0 | 2/8 x 8/0 |
| 2/10 x 6/8 | 2/10 x 7/0 | 2/10 x 8/0 |
| 3/0 x 6/8 | 3/0 x 7/0 | 3/0 x 8/0 |



PRF2302 1-3/8"
Flush MDF


- 1/6 x 6/8
- 2/0 x 6/8
- 2/4 x 6/8
- 2/6 x 6/8
- 2/8 x 6/8
- 3/0 x 6/8



PRF2302 1-3/4"
Flush MDF


- | | | |
|------------|------------|------------|
| 1/6 x 6/8 | 1/6 x 7/0 | 1/6 x 8/0 |
| 2/0 x 6/8 | 2/0 x 7/0 | 2/0 x 8/0 |
| 2/4 x 6/8 | 2/4 x 7/0 | 2/4 x 8/0 |
| 2/6 x 6/8 | 2/6 x 7/0 | 2/6 x 8/0 |
| 2/8 x 6/8 | 2/8 x 7/0 | 2/8 x 8/0 |
| 2/10 x 6/8 | 2/10 x 7/0 | 2/10 x 8/0 |
| 3/0 x 6/8 | 3/0 x 7/0 | 3/0 x 8/0 |

The contemporary doors have a unique lattice wood core that provides exceptional strength and improved stability. It has the feel of a real wood door without the weight that can lead to hinge issues. These doors can be prepped for the typical backset options or even a mortise pocket.




PRF2315

For a consistent design, the strike side will always be on the stile line side of the door.



PRF2310




PRF2302



Reeb's Contemporary Louver Door has shaker-style sticking and a unique slotted ventilation. Cut at an angle into the panel of the door, flat slotted louvers give the same ventilation possibilities but with a different aesthetic appearance. This contemporary door pairs well with other shaker-style flat panel doors.



Flat Slotted Louver Close-Up



Louver Detail
w/ Shaker Sticking



PR730F 1-3/8"
Flat Panel Louver
Shaker Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



PR730F 1-3/4"
Flat Panel Louver
Shaker Sticking

1/6 x 6/8 1/6 x 7/0
2/0 x 6/8 2/0 x 7/0
2/4 x 6/8 2/4 x 7/0
2/6 x 6/8 2/6 x 7/0
2/8 x 6/8 2/8 x 7/0
2/10 x 6/8 2/10 x 7/0
3/0 x 6/8 3/0 x 7/0

Interior Door Units

After choosing the perfect door, there are additional features that can be included for a complete door unit. These include adding transoms and sidelites for more light, choosing a frame that matches your door, and selecting hardware to match your home's interior.

INTERIOR TRANSOM



PRT001

Primed, Clear Glass
Ovolo Sticking
2/6, 2/8 & 3/0 for use with Single Door

4/0 x 1/0 for use with 2/0 Double Door
5/0 x 1/0 for use with 2/6 Double Door
6/0 x 1/0 for use with 3/0 Double Door

2/6 x 1/0 4/0 x 1/0
2/8 x 1/0 5/0 x 1/0
3/0 x 1/0 6/0 x 1/0



PRT003

Primed, Divided Lites, Clear Glass
Ovolo Sticking
For use with Single Door

2/6 x 1/0
2/8 x 1/0
3/0 x 1/0



PRT004

Primed, Divided Lites, Clear Glass
Ovolo Sticking
For use with 2/0 Double Door

4/0 x 1/0



PRT005

Primed, Divided Lites, Clear Glass
Ovolo Sticking

5/0 x 1/0 for use with 2/6 Double Door
5/4 x 1/0 for use with 2/8 Double Door
6/0 x 1/0 for use with 3/0 Double Door

5/0 x 1/0
5/4 x 1/0
6/0 x 1/0

INTERIOR SIDELITES



PR8705 1-3/8" (6/8)

Clear Glass, 1-1/4" Bar
Ovolo Sticking

1/0 x 6/8
1/2 x 6/8



PR8706 1-3/8" (8/0)

Clear Glass, 1-1/4" Bar
Ovolo Sticking


1/2 x 8/0

Barn Doors




Barn doors can be hung in many different configurations according to your design preference. Please be sure to specify when ordering.


STANDARD




REVERSE



UNIFORM A



UNIFORM B




PR180 1-3/8"


Planked 9/16" Panel Z

2/6 x 6/8 3/0 x 7/0 3/0 x 8/0
2/8 x 6/8
3/0 x 6/8

STANDARD




REVERSE



UNIFORM A



UNIFORM B



PR181 1-3/8"

Planked 9/16" Panel K

2/6 x 6/8 3/0 x 7/0 3/0 x 8/0
2/8 x 6/8
3/0 x 6/8

Barn Door Hardware



Straight Strap Standard Series, Black

Goldberg's line of interior, residential sliding barn door hardware kits make the most of the available living space, while adding a rustic, yet elegant look. All major components are manufactured from steel and come with a 1-year warranty.

HARDWARE OPTIONS



Roller Hanger



7" Pull Handle



6" Flush Pull




Privacy Latch


AVAILABLE FINISHES




Black



Silver



Architectural Bronze



Stainless Steel



Primed Fire Doors

These doors are labeled with a 20 minute rating. The panels are layered with a fire rated material and the stiles are solid wood. Additional requirements may be necessary for door installation.

20 Minute Fire Rated Flat Panel

OVOLO STICKING



PR8020FR 1-3/4"
20 Minute Flat Panel,
Ovolo Sticking

2/8 x 6/8	2/8 x 7/0	2/8 x 8/0
2/10 x 6/8	2/10 x 7/0	2/10 x 8/0
3/0 x 6/8	3/0 x 7/0	3/0 x 8/0



PR8055FR 1-3/4" (6/8)
20 Minute Flat Panel,
Ovolo Sticking

2/8 x 6/8
2/10 x 6/8
3/0 x 6/8



PR8055FR 1-3/4" (8/0)
20 Minute Flat Panel,
Ovolo Sticking

2/8 x 8/0
2/10 x 8/0
3/0 x 8/0



PR8082FR 1-3/4"
20 Minute Flat Panel,
Ovolo Sticking

2/8 x 6/8	2/8 x 7/0	2/8 x 8/0
2/10 x 6/8	2/10 x 7/0	2/10 x 8/0
3/0 x 6/8	3/0 x 7/0	3/0 x 8/0



SHAKER STICKING



PR8720FR 1-3/4"
20 Minute Flat Panel,
Shaker Sticking

2/8 x 6/8	2/8 x 7/0	2/8 x 8/0
2/10 x 6/8	2/10 x 7/0	2/10 x 8/0
3/0 x 6/8	3/0 x 7/0	3/0 x 8/0



PR8782FR 1-3/4"
20 Minute Flat Panel,
Shaker Sticking

2/8 x 6/8	2/8 x 7/0	2/8 x 8/0
2/10 x 6/8	2/10 x 7/0	2/10 x 8/0
3/0 x 6/8	3/0 x 7/0	3/0 x 8/0

SHAKER STICKING



PR8755FR 1-3/4" (6/8)

20 Minute Flat Panel,
Shaker Sticking

2/8 x 6/8
2/10 x 6/8
3/0 x 6/8



PR8755FR 1-3/4" (8/0)

20 Minute Flat Panel,
Shaker Sticking

2/8 x 8/0
2/10 x 8/0
3/0 x 8/0



PR8760FR 1-3/4" (6/8)

20 Minute Flat Panel,
Shaker Sticking

2/8 x 6/8
2/10 x 6/8
3/0 x 6/8



PR8760FR 1-3/4" (8/0)

20 Minute Flat Panel,
Shaker Sticking

2/8 x 8/0
2/10 x 8/0
3/0 x 8/0

20 Minute Fire Rated Raised Panel

OVOLO STICKING



PR66FR 1-3/4"

20 Minute Raised Panel,
Ovolo Sticking

2/8 x 6/8
2/10 x 6/8
3/0 x 6/8

DOORS HAVE WIDE (5-1/2") STILES



PR82RFR 1-3/4"

20 Minute Raised Panel,
Ovolo Sticking

2/8 x 6/8 2/8 x 7/0 2/8 x 8/0
2/10 x 6/8 2/10 x 7/0 2/10 x 8/0
3/0 x 6/8 3/0 x 7/0 3/0 x 8/0

DOORS HAVE WIDE (5-1/2") STILES



PR82AFR 1-3/4"

20 Minute Raised Panel,
Ovolo Sticking

2/8 x 6/8 2/8 x 7/0 2/8 x 8/0
2/10 x 6/8 2/10 x 7/0 2/10 x 8/0
3/0 x 6/8 3/0 x 7/0 3/0 x 8/0

Flat Frames



Flat

Flat jambs come in a variety of species including solid and veneered wood. They include the need for a stop. This option may not be available in all markets so please confirm availability prior to ordering.



PRIMED



CLEAR PINE



PINE VENEERED



KNOTTY ALDER VENEERED



FIR VENEERED



MAPLE VENEERED



SOLID POPLAR



PRIMED SOLID POPLAR



SOLID OAK




OAK VENEERED

Stops

Known as a "stop", these small pieces of wood attach to a flat jamb to give the door a place to stop. Optional Portaseal weatherstrip stops are available for use to prevent drafts.



PRIMED WM-888




PRIMED WM-876



PRIMED WM-888H



PRIMED WM-936



PRIMED WM-948



PORTASEAL WEATHERSTRIP

Rabbeted Frames



Single Rabbeted

Single rabbeted jambs mimic the appearance of exterior frames for interior use. This option may not be available in all markets so please confirm availability prior to ordering.



PRIMED



CLEAR PINE



PRIMED SOLID POPLAR



Double Rabbeted

Double rabbeted jambs work well with either a 1-3/8" or 1-3/4" thick door. This option may not be available in all markets so please confirm availability prior to ordering.



PRIMED



CLEAR PINE



PRIMED SOLID POPLAR



ENGINEERED VERTICAL GRAIN FIR

Split Frames



Split

Split jambs are two pieces of wood together which work well for odd wall sizes. This option may not be available in all markets so please confirm availability prior to ordering.



PRIMED



CLEAR PINE

Because of their construction, a split jamb is able to work for a range of wall sizes. For example, Reeb® stocks a split jamb that has a size range of 4-1/2" to 5-1/4" thick.

Also with split jambs is the availability to use interior casing. When installing a split jamb with casing, the two pieces must be taken apart. This allows Reeb to ship the unit with the casing pre-attached and ready for a complete install. This option may not be available in all markets so please confirm availability prior to ordering.

Sills



OAK SADDLE SILL

Oak Saddle Sill

This oak saddle sill is a cost effective option for use on interior door units with weather-strip which provide access to unheated spaces i.e. an unfinished attic.

Hinges

BALL BEARING HINGES

Ball bearing hinges have a steel ball bearing, or buffer, in between the knuckles. Heavier doors put more stress on the hinges so having the ball bearings reduce friction, are better performing and longer lasting.



Ball Bearing Square



Ball Bearing Radius

NON BALL BEARING HINGES

Standard, or plain bearing, have no buffer between each knuckle of the barrel. This tends to wear the hinge down over time as the sections grind against one another and are better suited for lightweight doors.



Non Ball Bearing Square



Non Ball Bearing Radius

HINGE SIZES

Most interior doors are 1-3/8" thick and use 3.5" x 3.5" hinges. On an 1-3/4" door in an interior application Reeb will automatically utilize a 4" hinge.




3.5" x 3.5"



4" x 4"

Baldwin®

Baldwin believes that quality should never be a compromise. From using the finest materials to crafting hardware by hand, they are committed to creating high-quality hardware that not only looks beautiful and flawless but also endures the rigors of time.



3.5" X 3.5" SQUARE
Non Ball Bearing - Shown in US3



3.5" X 3.5" RADIUS
Non Ball Bearing - Shown in US3




4" X 4" SQUARE
Ball Bearing - Shown in US15




4" X 4" RADIUS / US3
Non Ball Bearing - Shown in US3

AVAILABLE FINISHES	3.5" X 3.5" SQUARE		3.5" X 3.5" RADIUS		4" X 4" SQUARE		4" X 4" RADIUS	
	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING
US3		X		X		X		X
US10B		X		X		X		
US15		X		X		X		
VB		X				X		


AVAILABLE FINISHES




US3
BRIGHT BRASS



US10B
OIL RUBBED BRONZE



US15
SATIN NICKEL



VB
VENETIAN BRONZE

Hinges

Emtek®

Emtek is dedicated to bring personal style to life. Door hardware is more than a way to open, close, and secure a space. It is an integral part of a room's design theme and an extension of personal style.



3.5" X 3.5" SQUARE
Ball Bearing - Shown in US26




3.5" X 3.5" RADIUS
Non Ball Bearing - Shown in US7




4" X 4" SQUARE
Ball Bearing - Shown in US15

AVAILABLE FINISHES	3.5" X 3.5" SQUARE		3.5" X 3.5" RADIUS		4" X 4" SQUARE	
	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING
US1D		X	X		X	X
US3		X	X	X	X	X
US7		X	X	X	X	X
US10B		X	X	X	X	X
US15		X	X	X	X	X
US14		X	X		X	X
US26		X			X	X
US26D		X	X		X	X


AVAILABLE FINISHES




USP
PRIMED WHITE




US1D
FLAT BLACK




US3
BRIGHT BRASS



US4
SATIN BRASS



US4B
BRIGHT SATIN
BRASS



US5
ANTIQUÉ BRASS



US7
FRENCH
ANTIQUÉ

Reeb® Specialty Products

RSP offers a large selection of hinges in a variety of finishes carrying on a tradition of innovative design, superior quality and service excellence.



3.5" X 3.5" SQUARE
Ball Bearing - Shown in US4



3.5" X 3.5" RADIUS
Non Ball Bearing - Shown in USP



4" X 4" SQUARE
Non Ball Bearing - Shown in US10B




4" X 4" RADIUS
Ball Bearing - Shown in US15


AVAILABLE FINISHES	3.5" X 3.5" SQUARE		3.5" X 3.5" RADIUS		4" X 4" SQUARE		4" X 4" RADIUS	
	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING
USP				X				X
US1D		X	X	X		X	X	X
US3	X	X	X	X	X	X	X	X
US4	X	X		X	X	X		X
US4B	X		X	X	X		X	X
US5	X	X	X	X	X	X	X	X
US7								
US10B	X	X	X	X	X	X	X	X
US15	X	X	X	X	X	X	X	X
US15A				X			X	X
US26	X	X	X	X	X	X	X	X
US26D	X	X	X	X	X	X	X	X
US32D				X			X	X




US10B
OIL RUBBED
BRONZE




US14
POLISHED
NICKEL




US15
SATIN NICKEL



US15A
ANTIQUÉ NICKEL




US26
BRIGHT CHROME



US26D
SATIN CHROME



US32D
STAINLESS STEEL



VB
VENETIAN BRONZE

Locks

Schlage® door knobs fit and accentuate decor from a classic look to bold contemporary designs.

For available functions, reference the Reeb In-Stock Price Catalog.

The **Standard Residential Series** provides tough, reliable performance in a variety of styles and finishes.

The **Builders Series** provides an economical lock that delivers on style.

STANDARD RESIDENTIAL SERIES



Accent

Shown in Bright Chrome

Available in: US3, US5, US15, US15A, US26, Aged Bronze



Flair

Shown in US5

Available in: US3, US5, US15, Aged Bronze



Jazz

Shown in US15

Available in: US15

BUILDER'S SERIES



LaSalle

Shown in US3

Available in: US3, US15



Dover

Shown in US32D

Available in: US32D



Torino

Shown in US3

Available in: US3, US15




Marin


Shown in US32D

Available in: US32D

AVAILABLE FINISHES




US3
BRIGHT BRASS




US5
ANTIQUÉ BRASS



US10B
OIL RUBBED
BRONZE



US15
SATIN NICKEL



US15A
ANTIQUÉ NICKEL



Plymouth

Shown in US26D

Available in: US3, US15, US26, US26D, Aged Bronze



Georgian

Shown in US5

Available in: US3, US5, US15, US15A, US26, Aged Bronze



Andover

Shown in US26

Available in: US3, US5, US10B, US15, US15A, US26, US26D

BUILDER'S SERIES



Byron

Shown in US3

Available in: US3, US32D



Corona

Shown in US15

Available in: US3, US15

The **Standard Residential Series** features a limited lifetime mechanical warranty, has a limited lifetime finish warranty, fits universal backsets, and all levers are non-handed.



The **Builders Series** features a limited lifetime mechanical warranty, a 5-year finish warranty, and fits universal backsets.




US26
BRIGHT CHROME



US26D
SATIN CHROME



US32D
STAINLESS STEEL



716
AGED BRONZE

Catches

Catches are an alternative way to close a door and are often used in a closet application. Ball catches and Roller catches are recessed in the top of the door while a Surface Magnetic Catch is installed on the face of the door. A strike is installed on the head jamb and the two keep the door closed without the need of a latch. The Concealed Magnetic Catch is recessed into the top of the door and the head jamb which conceals the catch.

Precision™

Concealed Magnetic Catch




Reeb® Specialty Products
Ball Catch

Strike Plate available in:
US3, US5, US10B, US15, US26,
US26D



Ives®
Surface Magnetic Catch


Magnetic Catch available in:
US3, US92




Ives®
Roller Catch

Roller Catch Face and Strike
available in: US3, US10B, US15, US26


AVAILABLE FINISHES




US3
BRIGHT BRASS



US5
ANTIQUE BRASS



US10B
OIL RUBBED
BRONZE



US15
SATIN NICKEL



US26
BRIGHT
CHROME



US26D
SATIN CHROME



US92
ALUMINUM




PRF2315, RSP

Reeb's newest interior frame option provides a clean "flush with the wall" appearance utilizing concealed door frames and hidden hinges. EzyJamb[®] is a trimless door frame which wraps the drywall and blends seamlessly when mudded and painted. It is a great option for modern and contemporary style homes.

The Classic Adjust Door Frame is an adjustable two-piece jamb system that allows for a 3/8" adjustment between the two pieces. No casing is needed to finish the frame and it must be field installed.

The Classic Adjust Door Frame is available for Reeb's stock of 1-3/4" doors in the following sizes:

DOOR HEIGHT	DOOR WIDTH			
	2/6	2/8	2/10	3/0
6/8	✓	✓	✓	✓
7/0	✓	✓	✓	✓
8/0	✓	✓		✓



Reeb's standard frame is set up to work with a wall thickness of 4-1/2" - 4-3/4". Additional closure packages are available to accommodate thicker walls.

WALL THICKNESS	
4-7/8" - 5"	6-1/2" - 6-7/8"
5" - 5-3/8"	6-7/8" - 7-3/8"
5-9/16" - 6"	8-1/2" - 8-7/8"

EzyJamb has the option of two different hinges:



Emtek or Bommer Architectural 4" x 4" hinges

6/8 and 7/0 will have 3 hinges while the 8/0 will have 4 hinges



RocYork Concealed Hinges

6/8, 7/0, 8/0 will have 3 hinges

Stile & Rail Dimensions


DOOR STYLE	PAGE	DOOR HEIGHT	3'0" STILE	TOP RAIL	LOCK RAIL	BOTTOM RAIL	PANEL	VENDOR
PR1501WL	17	6/8	4-9/16"	4-9/16"	N/A	9-3/32"	N/A	RSP
PR1501WL	17	8/0	4-9/16"	4-9/16"	N/A	9-3/32"	N/A	RSP
PR180	24	6/8	4-7/16"	4-5/16"	4-5/16"	9-3/16"	9/16"	RSP
PR180	24	7/0	4-7/16"	4-5/16"	4-5/16"	9-3/16"	9/16"	RSP
PR180	24	8/0	4-7/16"	4-5/16"	4-5/16"	9-3/16"	9/16"	RSP
PR181	24	6/8	4-7/16"	4-5/16"	4-5/16"	9-3/16"	9/16"	RSP
PR181	24	7/0	4-7/16"	4-5/16"	4-5/16"	9-3/16"	9/16"	RSP
PR181	24	8/0	4-7/16"	4-5/16"	4-5/16"	9-3/16"	9/16"	RSP
PR66	5	6/8	4-9/16"	4-1/2"	7-1/2"	9-3/16"	9/16"	RSP
PR66 1-3/4"	5	6/8	5-3/4"	4-1/2"	7-1/2"	9-3/16"	9/16"	RSP
PR66FR 1-3/4"	27	6/8	5-3/4"	4-1/2"	7-1/2"	9-3/16"	1-1/4"	RSP
PR730	19	6/8	4-7/16"	4-1/6"	5-1/2"	7-1/8"	N/A	RSP
PR730 1-3/4"	19	6/8	4-7/16"	4-1/6"	5-1/2"	7-1/8"	N/A	RSP
PR730F	22	6/8	4-7/16"	4-5/16"	7-3/8"	9-3/16"	3/8"	RSP
PR730F 1-3/4"	22	6/8	4-7/16"	4-5/16"	7-3/8"	9-3/16"	3/8"	RSP
PR730F 1-3/4"	22	7/0	4-7/16"	4-5/16"	7-3/8"	9-3/16"	3/8"	RSP
PR730W	19	6/8	4-7/16"	4-1/2"	5-1/2"	7-1/8"	N/A	RSP
PR732	19	6/8	4-7/16"	4-1/6"	5-1/2"	7-1/8"	9/16"	RSP
PR732W	19	6/8	4-7/16"	4-1/6"	5-1/2"	7-1/8"	9/16"	RSP
PR742	19	6/8	4-7/16"	4-1/6"	5-1/2"	7-1/8"	9/16"	RSP
PR8001	17	6/8	4-5/8"	4-1/2"	N/A	9-3/16"	N/A	RSP
PR8001	17	8/0	4-5/8"	4-1/2"	N/A	9-3/16"	N/A	RSP
PR8001F	17	6/8	4-5/8"	4-1/2"	N/A	9-3/16"	N/A	RSP
PR8001F	17	8/0	4-5/8"	4-1/2"	N/A	9-3/16"	N/A	RSP
PR8010	12	6/8	4-5/8"	4-1/2"	N/A	9-3/16"	N/A	RSP
PR8010 1-3/4"	12	6/8	4-5/8"	4-1/2"	N/A	9-3/16"	N/A	RSP
PR8010F	14	6/8	4-5/8"	4-1/2"	N/A	9-3/16"	N/A	RSP
PR8012	13	8/0	4-5/8"	4-1/2"	N/A	9-3/16"	N/A	RSP
PR8012 1-3/4"	13	6/8	4-5/8"	4-1/2"	N/A	9-3/16"	N/A	RSP
PR8012F	14	8/0	4-5/8"	4-1/2"	N/A	9-3/16"	N/A	RSP
PR8015	12	6/8	4-5/8"	4-1/2"	N/A	9-3/16"	N/A	RSP
PR8015 1-3/4"	12	6/8	4-5/8"	4-1/2"	N/A	9-3/16"	N/A	RSP
PR8015F	14	6/8	4-5/8"	4-1/2"	N/A	9-3/16"	N/A	RSP
PR8018	13	8/0	4-5/8"	4-1/2"	N/A	9-3/16"	N/A	RSP
PR8018 1-3/4"	13	8/0	4-5/8"	4-1/2"	N/A	9-3/16"	N/A	RSP
PR8018F	14	8/0	4-5/8"	4-1/2"	N/A	9-3/16"	N/A	RSP
PR8020	7	6/8	4-5/8"	4-1/2"	N/A	9-3/16"	3/8"	RSP
PR8020	7	8/0	4-5/8"	4-1/2"	N/A	9-3/16"	3/8"	RSP
PR8020 1-3/4"	7	6/8	4-5/8"	4-1/2"	N/A	9-3/16"	3/8"	RSP
PR8020 1-3/4"	7	7/0	4-5/8"	6-1/2"	N/A	11-3/16"	3/8"	RSP
PR8020 1-3/4"	7	8/0	4-5/8"	4-1/2"	N/A	9-3/16"	3/8"	RSP
PR8020 1-3/4"	11	6/8	4-5/8"	4-1/2"	N/A	9-3/16"	5/8"	RSP
PR8020 1-3/4"	11	7/0	4-5/8"	4-1/2"	N/A	9-3/16"	5/8"	RSP
PR8020 1-3/4"	11	8/0	4-5/8"	4-1/2"	N/A	9-3/16"	5/8"	RSP
PR8020FR 1-3/4"	26	6/8	4-5/8"	4-1/2"	N/A	9-3/16"	13/16"	RSP
PR8020FR 1-3/4"	26	7/0	4-5/8"	4-1/2"	N/A	9-3/16"	13/16"	RSP
PR8020FR 1-3/4"	26	8/0	4-5/8"	4-1/2"	N/A	9-3/16"	13/16"	RSP
PR8040	7	6/8	4-5/8"	4-1/2"	N/A	9-3/16"	3/8"	RSP
PR8040	7	7/0	4-3/8"	4-9/16"	N/A	9	3/8"	RSP

Stile & Rail Dimensions

DOOR STYLE	PAGE	DOOR HEIGHT	3'0" STILE	TOP RAIL	LOCK RAIL	BOTTOM RAIL	PANEL	VENDOR
PR8044	7	6/8	4-5/8"	4-1/2"	7-1/2"	9-3/16"	3/8"	RSP
PR8055	7	6/8	4-5/8"	4-1/2"	N/A	9-3/16"	3/8"	RSP
PR8055	7	8/0	4-5/8"	4-1/2"	N/A	9-3/16"	3/8"	RSP
PR8055FR 1-3/4"	26	6/8	4-5/8"	4-1/2"	N/A	9-3/16"	13/16"	RSP
PR8055FR 1-3/4"	26	8/0	4-5/8"	4-1/2"	N/A	9-3/16"	13/16"	RSP
PR8082	7	6/8	4-5/8"	4-1/2"	7-5/8"	9-3/16"	3/8"	RSP
PR8082	7	8/0	4-5/8"	4-1/2"	7-5/8"	9-3/16"	3/8"	RSP
PR8082 1-3/4"	7	6/8	4-5/8"	4-1/2"	7-5/8"	9-3/16"	3/8"	RSP
PR8082 1-3/4"	7	7/0	4-5/8"	6-1/2"	7-5/8"	11-3/16"	3/8"	RSP
PR8082 1-3/4"	7	8/0	4-5/8"	4-1/2"	7-5/8"	9-3/16"	3/8"	RSP
PR8082 1-3/4"	11	6/8	4-5/8"	4-1/2"	7-5/8"	9-3/16"	5/8"	RSP
PR8082 1-3/4"	11	7/0	4-5/8"	4-1/2"	7-5/8"	9-3/16"	5/8"	RSP
PR8082 1-3/4"	11	8/0	4-5/8"	4-1/2"	7-5/8"	9-3/16"	5/8"	RSP
PR8082FR 1-3/4"	26	6/8	4-5/8"	4-1/2"	7-5/8"	9-3/16"	13/16"	RSP
PR8082FR 1-3/4"	26	7/0	4-5/8"	4-1/2"	7-5/8"	9-3/16"	13/16"	RSP
PR8082FR 1-3/4"	26	8/0	4-5/8"	4-1/2"	7-5/8"	9-3/16"	13/16"	RSP
PR82A	5	6/8	4-5/8"	6-1/2"	7-1/2"	9-3/16"	9/16"	RSP
PR82A	5	8/0	4-5/8"	6-1/2"	7-1/2"	9-3/16"	9/16"	RSP
PR82A 1-3/4"	5	6/8	5-3/4"	6-1/2"	7-1/2"	9-3/16"	9/16"	RSP
PR82A 1-3/4"	5	7/0	5-3/4"	8-1/2"	7-1/2"	11-3/16"	9/16"	RSP
PR82A 1-3/4"	5	8/0	5-3/4"	6-1/2"	7-1/2"	9-3/16"	9/16"	RSP
PR82AFR 1-3/4"	27	6/8	5-3/4"	6-1/2"	7-1/2"	9-3/16"	1-1/4"	RSP
PR82AFR 1-3/4"	27	7/0	5-3/4"	8-1/2"	7-1/2"	11-3/16"	1-1/4"	RSP
PR82AFR 1-3/4"	27	8/0	5-3/4"	6-1/2"	7-1/2"	9-3/16"	1-1/4"	RSP
PR82R	5	6/8	4-5/8"	4-1/2"	7-1/2"	9-3/16"	9/16"	RSP
PR82R	5	8/0	4-5/8"	4-1/2"	7-1/2"	9-3/16"	9/16"	RSP
PR82R 1-3/4"	5	6/8	5-3/4"	4-1/2"	7-1/2"	9-3/16"	9/16"	RSP
PR82R 1-3/4"	5	7/0	5-3/4"	6-1/2"	7-1/2"	11-3/16"	9/16"	RSP
PR82R 1-3/4"	5	8/0	5-3/4"	4-1/2"	7-1/2"	9-3/16"	9/16"	RSP
PR82RFR 1-3/4"	27	6/8	5-3/4"	4-1/2"	7-1/2"	9-3/16"	1-1/4"	RSP
PR82RFR 1-3/4"	27	7/0	5-3/4"	6-1/2"	7-1/2"	11-3/16"	1-1/4"	RSP
PR82RFR 1-3/4"	27	8/0	5-3/4"	4-1/2"	7-1/2"	9-3/16"	1-1/4"	RSP
PR8423	15	6/8	4-7/16"	4-5/16"	N/A	9-3/16"	N/A	SIMPSON
PR8490	15	6/8	4-7/16"	4-5/16"	N/A	9-3/16"	N/A	SIMPSON
PR8705	23	6/8	2-7/16"	4-5/16"	N/A	9-3/16"	N/A	RSP
PR8706	23	8/0	2-7/16"	4-5/16"	N/A	9-3/16"	N/A	RSP
PR8720	8	6/8	4-7/16"	4-5/16"	N/A	9-3/16"	3/8"	RSP
PR8720	8	7/0	4-7/16"	6-1/8"	N/A	10-11/16"	3/8"	RSP
PR8720	8	8/0	4-7/16"	4-5/16"	N/A	9-3/16"	3/8"	RSP
PR8720 1-3/4"	8	6/8	4-7/16"	4-5/16"	N/A	9-3/16"	3/8"	RSP
PR8720 1-3/4"	8	7/0	4-7/16"	6-1/8"	N/A	10-11/16"	3/8"	RSP
PR8720 1-3/4"	8	8/0	4-7/16"	4-5/16"	N/A	9-3/16"	3/8"	RSP
PR8720 1-3/4"	11	6/8	4-7/16"	4-5/16"	N/A	9-3/16"	5/8"	RSP
PR8720 1-3/4"	11	7/0	4-7/16"	4-5/16"	N/A	9-3/16"	5/8"	RSP
PR8720 1-3/4"	11	8/0	4-7/16"	4-5/16"	N/A	9-3/16"	5/8"	RSP
PR8720FR 1-3/4"	26	6/8	4-7/16"	4-5/16"	N/A	9-3/16"	13/16"	RSP
PR8720FR 1-3/4"	26	7/0	4-7/16"	4-5/16"	N/A	9-3/16"	13/16"	RSP
PR8720FR 1-3/4"	26	8/0	4-7/16"	4-5/16"	N/A	9-3/16"	13/16"	RSP
PR8730	9	6/8	4-7/16"	4-5/16"	N/A	9-3/16"	3/8"	RSP

Stile & Rail Dimensions

DOOR STYLE	PAGE	DOOR HEIGHT	3'0" STILE	TOP RAIL	LOCK RAIL	BOTTOM RAIL	PANEL	VENDOR
PR8730	9	8/0	4-7/16"	4-5/16"	N/A	9-3/16"	3/8"	RSP
PR8740	10	6/8	4-7/16"	4-5/16"	N/A	9-3/16"	3/8"	RSP
PR8740	10	7/0	4-3/8"	4-3/8"	N/A	8-13/16"	3/8"	RSP
PR8744	9	6/8	4-7/16"	4-5/16"	7-7/16"	9-3/16"	3/8"	RSP
PR8755	10	6/8	4-7/16"	4-5/16"	N/A	9-3/16"	3/8"	RSP
PR8755	10	8/0	4-7/16"	4-5/16"	N/A	9-3/16"	3/8"	RSP
PR8755FR 1-3/4"	27	6/8	4-7/16"	4-5/16"	N/A	9-3/16"	13/16"	RSP
PR8755FR 1-3/4"	27	8/0	4-7/16"	4-5/16"	N/A	9-3/16"	13/16"	RSP
PR8760	9	6/8	4-7/16"	4-5/16"	N/A	9-3/16"	3/8"	RSP
PR8760	9	8/0	4-7/16"	4-5/16"	N/A	9-3/16"	3/8"	RSP
PR8760FR 1-3/4"	27	6/8	4-7/16"	4-5/16"	N/A	9-3/16"	13/16"	RSP
PR8760FR 1-3/4"	27	8/0	4-7/16"	4-5/16"	N/A	9-3/16"	13/16"	RSP
PR8762	9	6/8	4-7/16"	4-5/16"	N/A	9-3/16"	3/8"	RSP
PR8762	9	8/0	4-7/16"	4-5/16"	N/A	9-3/16"	3/8"	RSP
PR8782	9	6/8	4-7/16"	4-5/16"	7-7/16"	9-3/16"	3/8"	RSP
PR8782	9	7/0	4-7/16"	6-1/8"	7-7/16"	10-11/16"	3/8"	RSP
PR8782	9	8/0	4-7/16"	4-5/16"	7-7/16"	9-3/16"	3/8"	RSP
PR8782 1-3/4"	9	6/8	4-7/16"	4-5/16"	7-7/16"	9-3/16"	3/8"	RSP
PR8782 1-3/4"	9	7/0	4-7/16"	6-1/8"	7-7/16"	10-11/16"	3/8"	RSP
PR8782 1-3/4"	9	8/0	4-7/16"	4-5/16"	7-7/16"	9-3/16"	3/8"	RSP
PR8782 1-3/4"	11	6/8	4-7/16"	4-5/16"	7-7/16"	9-3/16"	5/8"	RSP
PR8782 1-3/4"	11	7/0	4-7/16"	4-5/16"	7-7/16"	9-3/16"	5/8"	RSP
PR8782 1-3/4"	11	8/0	4-7/16"	4-5/16"	7-7/16"	9-3/16"	5/8"	RSP
PR8782FR 1-3/4"	26	6/8	4-7/16"	4-5/16"	7-7/16"	9-3/16"	13/16"	RSP
PR8782FR 1-3/4"	26	7/0	4-7/16"	4-5/16"	7-7/16"	9-3/16"	13/16"	RSP
PR8782FR 1-3/4"	26	8/0	4-7/16"	4-5/16"	7-7/16"	9-3/16"	13/16"	RSP
PRF2302	21	6/8	N/A	N/A	N/A	N/A	N/A	RSP
PRF2302 1-3/4"	21	6/8	N/A	N/A	N/A	N/A	N/A	RSP
PRF2302 1-3/4"	21	7/0	N/A	N/A	N/A	N/A	N/A	RSP
PRF2302 1-3/4"	21	8/0	N/A	N/A	N/A	N/A	N/A	RSP
PRF2310	21	6/8	N/A	N/A	N/A	N/A	N/A	RSP
PRF2310 1-3/4"	21	6/8	N/A	N/A	N/A	N/A	N/A	RSP
PRF2310 1-3/4"	21	7/0	N/A	N/A	N/A	N/A	N/A	RSP
PRF2310 1-3/4"	21	8/0	N/A	N/A	N/A	N/A	N/A	RSP
PRF2315	21	6/8	N/A	N/A	N/A	N/A	N/A	RSP
PRF2315 1-3/4"	21	6/8	N/A	N/A	N/A	N/A	N/A	RSP
PRF2315 1-3/4"	21	7/0	N/A	N/A	N/A	N/A	N/A	RSP
PRF2315 1-3/4"	21	8/0	N/A	N/A	N/A	N/A	N/A	RSP
PRN730FJ BIFOLD	17	6/8	1-1/4"	3-3/16"	3-5/16"	3"	N/A	RSP
PRN732FJ BIFOLD	17	6/8	1-1/4"	3-3/16"	3-5/16"	3"	N/A	RSP
PRT001 TRANSOM	23	1/0	4-1/2"	2-13/16"	N/A	2-13/16"	N/A	RSP
PRT003 TRANSOM	23	1/0	4-1/2"	2-13/16"	N/A	2-13/16"	N/A	RSP
PRT004 TRANSOM	23	1/0	4-1/2"	2-13/16"	N/A	2-13/16"	N/A	RSP
PRT005 TRANSOM	23	1/0	4-1/2"	2-13/16"	N/A	2-13/16"	N/A	RSP



Visit the Reeb® Learning Center for education on choosing the proper door unit, new products, and what product options are available.

Visit the Reeb Learning Center at learn.reeb.com



A learning center for everything door related.



Online Primed Interior Stile & Rail Catalog

View product warranties, care and finishing instructions for the following companies at reeb.com/catalogs/



Warranty Information

View product warranties at reeb.com/catalogs/

□ **Bethlehem, PA**
1000 Maloney Cir.
Bethlehem, PA 18015
(800) 862-8622 voice
(800) 772-7332 fax

□ **Barclay, MD**
1315 Goldsboro Rd.
Barclay, MD 21607
(800) 825-8331 voice
(800) 331-9387 fax

□ **Mocksville, NC**
346 Bethel Church Rd.
Mocksville, NC 27028
(800) 642-0886 voice
(800) 618-0620 fax

□ **Providence, RI**
19 Business Park Dr.
Smithfield, RI 02917
(800) 343-5703 voice
(800) 388-5979 fax

□ **Syracuse, NY**
7475 Henry Clay Blvd.
Liverpool, NY 13088
(800) 422-5224 voice
(800) 531-7332 fax

THE PROGallery

Building Supply | Showroom | Training

3146 Fulling Mill Road
Middletown, PA 17057
717.982.6870



PART# REEBPSR19V2

VERSION 2.0.0